



## Southowram Arban Sanitary

AUTHORITY.

## Annual Report

OF THE

#### MEDICAL OFFICER OF HEALTH,

FOR 1897.

B. E. I. EDWARDS, Medical Officer of Health.

J. HARTLEY, "Echo' Office, Brighouse.





# Digitized by the Internet Archive in 2018 with funding from Wellcome Library

### ANNUAL REPORT

#### FOR THE YEAR 1897.

To the Chairman and Members of the Southowram

Urban District Council.

GENTLEMEN,

I beg to lay before you my Report on the Vital Statistics and Sanitary Conditions for the year 1897.

The Death Rate for the year is slightly under the average; there has not been any great incidence of Infectious Disease, and the general Sanitary Condition of the District may be regarded as fairly satisfactory.

Through the kindness of the Chairman of the Board, I am enabled to add a Table of the Rainfall in the District during the year.

I beg to remain, Gentlemen,

Your faithful Servant,

B. E. I. EDWARDS, M.B. & C.M.

F.R.I.P.H.

Medical Officer of Health.

#### VITAL STATISTICS.

Acreage.—At the census of 1891 the area of the Board's district was returned at 1,825 acres.

Population.—The population was 3,058, consisting of 1,596 males and 1,462 females. The number of inhabited houses was 622, while 59 were uninhabited. The population estimated to the middle of 1897, and which forms the basis of the following calculations, is 3,125.

Births.—The births during the year number 70, composed of 37 males and 33 females, being equivalent to an annual rate of 22:40 per thousand, as compared with 19:02 last year, and an average for the previous five years of 21:38.

Deaths.—The deaths number 58. Of these 6 were non-residents; of these 6, four were reported to the Coroner, and the other 2 were inmates of the Shibden Industrial School. Of the 52 Residential Deaths, 29 were males and 23 females, being equivalent to an annual rate of 16.64 per thousand, as compared with 11.28 last year, and an average for the preceding 5 years of 18.57.

Table E, which gives among other information the death rates for each month of the year, shews that the bulk of the deaths occurred in infants, and during the middle years of life, from 25 to 65; the percentage being 69·1 of the total deaths.

Respiratory Diseases account for 24.9 per cent., phthisis for 15.36 per cent., a very large figurê; and Infectious Diseases for 5.7 per cent.

Five of the Residential Deaths were, reported to the Coroner.

The Infant Mortality is 228.

#### INFECTIOUS DISEASES.

Ten cases of Infectious Disease have been notified, of which an analysis will be found in Table G.

In the two cases where death ensued, and faults in drainage were discovered, they have been remedied.

#### DRAINAGE.

The two sections of the Marsh Drainage Scheme are now practically complete.

Two groups of cottages turning sewage into the Red Beck have been provided with cesspools.

#### FOODS AND DRUGS.

One sample of milk taken was reported to be genuine milk, and of superior quality.

#### FACTORIES AND WORKSHOPS.

The factories and workshops in the district coming under the above Act have been inspected and found to be in good sanitary condition.



(A) TABLE OF **DEATHS** during the Year 1897, in the Southowram Urban District, classified according to DISEASES, AGES, and LOCALITIES.

OREN	22	TOTAL.		15	37
Энты	21	Other eases	IIA siG	$\infty$	
) H	20	səiri			
0	119	*			
ATHS	18 19/20	erse Free			4
FROM SUBJOINED CAUSES, DISTINGUISHING DEATHS OF CHILDREN UNDER FIVE YEARS OF AGE.	17	nchitis, simomus Pleuisy	sud Duc	ಸರ	<u> </u>
HIN	16	sisid	а_ <sup>4</sup> ЧД		: ∞
INED CAUSES, DISTINGUISHING UNDER FIVE YEARS OF AGE.	15 16	βΛθΚ	F		•
INC		entery oinstic			:
DIST	14	pue			•
		rhoea	$\overline{\Gamma}$		*
JSES	91011112 13	nghoo guidoo	Ю МР		•
CAT F	12	esles	Mes		b 0 p
AD OEB		sipelas			\$ ; ;
INI	110	lera 1	СРС		
330	8	rperal	en <u>d</u>		
SUI		apsing Snisda			;
) M	6 7 8	.biode			:
FRC	6	Or.			•
ITY	20	bireric			•
LII		dreio	TVT		•
Mortal	स	mbranous Group	ТАТБ		•
To]	ಣ	theria mbranous	qiQ		*
	2	enitela	Sca	7	•
	' <del>,                                    </del>	xoqlla	uS.		
			(i)	Under 5	5 upwards
		65 and up- wards	(h)		<u>.</u>
SES,		25 and under 65.	(b)		20
L CAU		$\begin{vmatrix} 15 \\ and \end{vmatrix}$ ser under $\begin{vmatrix} a \\ 25 \end{vmatrix}$	( <i>f</i> )		ಣ
ROM AI		or nd 15	(e)		
Mortality from all causes, at subjoined Ages.		and s under u	( <i>p</i> )		ဗ
Morta		Under 1 year.	(0)		100
		At all ages.	(9)		52

(B) TABLE of Population, Births, and of New Cases of Infectious Sickness, coming to the knowledge of the Medical Officer of Health, during the year 1897, in the Southowram Urban District; classified according to DISEASES, AGES and LOCALITIES.

E'S' M	13		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 - 0 helionin - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
NUMBER OF SUCH CASES REMOVED FROM THEIR HOMES IN THE SEVERAL LOCALITIES, FOR TREATMENT IN ISOLATION HOSPITAL.					:
I CI	7 8 9 10 11 12 RS.				
VE CA Ho		sıləqis	FLZ		:
L L	9	ોલાર			·:
REIO	6	rperal	ena		:
ES VEF LAT	8	Suisdi			
SEV SOJ	6   7   Fevers	panuiti			•
O HE	IVE	brode	Tyr		•
JCH N T	6 FE		IO O		•
ST ST S	20	sude oire			:
OF MES		dnoa	$\frac{1}{2}$		: :
R HOJ EA	4 sr	ionsada	D IƏTAT		
BE R TR	60	theria	dia		<del>:</del>
NUMBER OF THEIR HOMES FOR TREATME	1 2	rlatina			:
	1-	xoqli			:
NEW CASES OF SICKNESS IN EACH LOCALITY, COMING TO THE KNOWLEDGE OF THE MEDICAL OFFICER OF HEALTH.	133				
NEW CASES OF SICKNESS IN EACH LOCALITY, COMING TO THE KNOWLEDGE OF THE MEDICAL OFFICER OF HEALTH.	7 8 9 10 11 12 13 BS.				
LOLO	<b>=</b>	ssingis	Ery	<u> </u>	•
CH	07	ક્યકા	CPC		:
EA H	6	Isragra	end_	.03	<u>:</u>
JW L		Saisga			:
SSS NO R	6   7   Fevers	bənnitı			<u>:</u>
KNH E K ICE	6 PEV	biodo	io ivT		
TH	F	oire:			
E O	10	snyc			:
SO G 7	4	dnoaD			:
AIN AIN DI	sn	mprano			:
CO ME	<u></u>	sirədte	Dip		<u>:</u>
EW Y,	1 2	rlatina	Sca	ಣ	<u>:</u>
ZE		xoqlla	SmS		
	_ <sub>70</sub>	<b>10</b>			
	geć Jer	r er	(e)		
	Aganc	or over 5			
				·	:
	'SIIO	ua			
	stered rths.	rgəX TG	(p)		0.2
	~				
L3	7	3	-		
AL.	Estimated	]e 97.			10
AT.	2	to middle of 1897.	(0)		3125
TION A	7	mi			60
rio Ag	<u> </u>	1			
LA		t us.			~
Population at all Ages.		Last Jensus,	(9)		3058
Pc		Ce			9

#### TABLE C. 1897.

#### SOUTHOWRAM SANITARY DISTRICT.

MEDICAL OFFICER OF HEALTH, B. E. I. EDWARDS.

#### SANITARY INSPECTOR, R. NICHOLL.

#### WATER SUPPLY—

No. of Houses having constant Public Supply, about 100. Obtained from Halifax.

Gathering Grounds Situated at Ogden Moor.

Quality Good. Action on Lead, Slight.

Any extensions or change during 1897: 10 houses supplied.

#### SEWAGE DISPOSAL—

Treatment now in operation, Settling Tanks and irrigation.

#### ADOPTIVE ACTS—

Public Health Acts (Amendment) Act, 1890, Parts 3; adopted, 1897.

#### LOCAL GOVERNMENT BOARD.

Scheme before L. G. B. None.

L. G. B. Inquiries. None

L. G. B. Inspection. None.

SPECIAL REPORTS by M.O.H. during 1897. None.

ISOLATION HOSPITAL—Any action during 1897?—No.

#### MISCELLANEOUS—

Number of Houses built during 1897, 1. General character, Farm House.

Is House-to-house Inspection systematically made?-Yes.

Total No. of Nuisances in hand at close of 1896, 4. At close of 1897, 1. Reported during 1897, 46. Abated during 1897, 45.

Total No. of Summonses or other Legal Proceedings.
None.

No. of Sink wastes disconnected during 1897, 15.

" " trapped " " 15.

No. of Closets constructed during 1897, 5. Kinds, 3 Privey Middens and 2 Goux. WHAT ACTION HAS BEEN TAKEN IN REGARD TO THE FOLLOWING MATTERS?

Houses unfit for habitation, None. Overcrowding, None.

Seizure of Unsound Food, None. Prosecutions, None.

Samples under Sale of Food and Drugs Acts, 1 taken. Prosecutions, None.

River Pollution. Two cases of untreated sewage abated.

Smoke Abatement, None. No. of observations taken, None.

Schools—No. in District, 2. No. closed on account of outbreaks of disease, None.

Burial Grounds—No. in Districts, 3. Any need for extensions?—No.

BIRTHS\*—Males, 37; Females, 33; Total 70.

Number illegitimate, included in the above. Unknown.

Any information as to Still Births. None.

DEATHS\*—Males, 29; Females, 23; Total 52.

Number uncertified, included in the above, None.

RATEABLE	Value upon which	the General District	Rate is Assessed.	Rate in
VALUE as stated in Valuation List		One-fourth Rateable Value (Land, etc.)	Two-thirds Rateable Value (where owner is assessed).	the £ 1897.
( 1) £11,221 10s. 0d.	(2) £7,521 0s. 0d.	(3) £925 2s. 6d.	(4)	2s. 6d.

(D) TABLE OF BIRTH AND DEATH RATES, &c., for 1897, and for the preceding Ten Years.

	1887	1888	6881	1890	1891	1892	1893	1894	1895	1896	1897
Birth Rate	25.3	52.4	23.3	22.4	23.5	6.12	2.02	20.2	25.3	19.05	22.04
Death Rate	0.81	13.5	1.81	21.5	14.8	22.3	6.81	2.61	21.5	11.28	16.64
Respiratory Death Rate	9.2	2.3	3.6	6.5	5.5	4.4	2.8	3.7	9.9	86.1	4.16
Phthisis Death Rate	3.5	2.0	6.1	5.6	<i>L.</i> I	4.1	4.2	7.2	2.0	66.0	2.26
Zymotic Death Rate	4.0	1.3	2.5	0. I	4.0	2.1	0.0	0.1	0. I	0.64	96.0
	=										

		ત	əuoa	oO ot betroqeA	2	•		- :	•	•	•	H	-	•	•	cent. of the Deaths.
		lutuo	oM .	Death Rate pe batsmitsH ant DitaluqoT	15.38	28.61	54.01 11.69	23.07	15.38	40°.50 40°.50	69.Z	19.2	3.84	23.04		Per cent. of Deaths
•			sut	Uncertified Dea		:	•	• •	:	<b>;</b>	: :	•	•	:	•	
1897		iol'nt eaths		Homicide	•		•	• •	•	•		•	•		:	
80		Viol'nt Deaths		Suicide	:		:	: :		:	: :	:	:		•	
6		S A	•	Accident	:	:	•	: :	;	:	: :	:	:			
s, etc.,	DEATH.		səs	səsiG rərlto IIA	27	# <	H	: 27	ಎ	: 0	1 01	4		4	28	92.89
Deaths,	A	er Dis.		Diarhæa		•	*		•	•			•	•	•	
at	DH	I .	٠	Other Resp. Dis		N C	1 -	- 01	•	: -	⊣ :	•	•	0	11	21.12
De		$\frac{\text{Otl}}{\text{Prev}}$		Pneumonia		:		1:	:	:	: :		:		27	₹8.8
	OF			Phthisis		<u> </u>	1	: ₩	<del>,</del>		· · ·	•	:	•	$\infty$	15.36
nc		es.		Other Infect. D		:	:		:	:		:	<u>:</u>	: {		
and	田	eas		Puerperal Feve	:		٦ 			:		:	:			1.92
ths	AUSES	USES Diseases.		Erysipelas	:	<u>:</u> _	:		:	:		:	:			
Pt		1		sudq\T		<u>:</u>	:		:	:	: :	•	:			
Bir	O	ono	dno	Day & sinahtqid		:	:	- :	•	:		•	:	•	-	<u> 76.1</u>
		cti		Enteric Fever	:	:	:	: :	:	<u>:</u> _	: :	:	:	:	:	
of		Infectious		Scarlatina		:	•	: :	4	: -	:	•	:	:		1.92
0			0.10 7.03	Smallpox	;	; ; G	:	: : :		:	: :	୍ : ଆ		•		
Table		e '	$\frac{-}{\text{abus}}$	wqu x sass da upw	07 -	<u>:</u>	+ -	: <u>; ; </u>	<u>:</u>	:	: ' '		:	 		13.44
H	+	Ages of the Dying.		15 to 25 years 25 to 65 years	.	•	• -		•		<u> </u>		•	•	320	<u>88.40</u>
	40	Dying.			1 :	:	:	: :	:	<u>:</u> _	:	:	:	:		94.9
P				1 to 5 years	: 7	: <del>-</del> -	: 	<del>: :</del> <del>- :</del>	<u>:</u>	: -	<del>-</del> :	:	:	<del>:</del>	で	1.92
Monthly	<	<del>-</del>		0 to 1 year	27 (	N 0	V	<u>:</u> :	<u>v1</u>	: -	<del></del>	<u> </u>	<del>:</del>	<u>က</u>	16	09.6
0		$\vec{\alpha}$	A	Total Later	41		න ග	၁ ဟ	<del></del>		H 07	70	$\dashv$	9	521	30.72
		ath		Remale	0	n -	43	1 21		<del></del> с	7 -	07	0	70	23	6.64pr mille.
		Births. Deaths		<u> </u>	14.	4 7	o -	- 4	ಣ	0 0	7 -	က	$\overline{\Box}$		292	16·64pr mille.
	Totaldar	S <sub>2</sub>		Total	01	- [	- 3	2 =	10	0 -	4 0	9	೧೦	က	302	3.
		rth		Female	140	30 J	n -	1 9	SI	4:		N	-	-	33	2.40pi mille.
		Bi.		Male	10.	4 6	7 C	1 70	က	9 -		4	SI	27	37	22.40pr mille.
1.1	200	· Andrew			:	•	:		:	;		•	•	:		
Ш				$\ddot{\omega}$		>					hei		er	er		
旦				Months	January	Februar	Ţ			7		er	November	ecember	ω	
BL				Ion	nn:	bri	March	Aprii May	ne	ly	August Sentem]	0ctober	Ve	cer	Totals	
TABLE				H	Ja	E	MIS V	Apri May	June	$\int_{\Lambda}$ uly	Se	Occ	No	De	To	

## (F) Table Shewing Deaths Registered from all Causes During the Year 1897.

						A	.G	ES				
DISEASES.	$\begin{bmatrix} 0 \\ \text{to} \\ 1 \end{bmatrix}$	to	to	to	to	to	to	to	to	to	85 and over	Tota
Zymotic Diseases												
1. Smallpox												• • •
2. Measles												
3. Scarlatina				i I		i						1
4. Whooping Cough		'										
5. Diphtheria and Croup	1	1		!					1	1		1
6. Tyhoid Fever												
Diarrhœa, Dysentery	11				1		1					
Erysipelas	Ш		1		H		Į.	1 1				
Puerperal Fever	[]											1
I. Parasitic Diseases (Worms, Thrush, &c.)	11			1	,							
II. Dietic Diseases (Starvation, Scury, D. T's, &c.)	H				l I			1	11			1
V. Constitutional Diseases	11				ll	1	1		11	1		
1. Rheumatic Fever	11		1	1	!		1	1	1	ì	1	
2. Rheumatism	1.4	1	1	1	11		1	1			1	
3. Gout	11	1			1	1	1			i		• • • •
4. Rickets	11			1	11		1	ł	11		i	1
	11					1	1	i	11			3
	11	1		1	li .							8
6. Phthisis	11		1	~	11		1			1	}	3
7. Other Forms of Scrofula												$\frac{1}{1}$
8. Other Constitutional Diseases												5
7. Developmental Diseases (Prem. Birth, Old Age, &c.) VI. Local Diseases	Ш	9	.			···						0
		١.										2
1. Diseases of Nervous System		L.		i .	il .	1	1		il .	İ		4
2. ,, ,, Organs of Special Sense	11				11	1		1	1			
3. ,, ,, Circulatory System	11				1	1	1	1	1			10
4. ,, Respiratory System	11						1	1				$\begin{vmatrix} 12 \\ 3 \end{vmatrix}$
5. ,, ,, Digestive System	31										•••	3
6. ,, ,, Lymphatic System				•   • • •			1				• • •	• • • •
7. ,, Gland-like Organs		• • • •		•   • • •			 		···	· · · ·	• • • •	
8. ,, ,, Urinary System												
9. ,, ,, Reproductive System	11			1	11		1	i	11			
(a.) Organs of Generation	11		T)	1	11	1			11			
(6.) Diseases of Parturition				•	$\parallel 1$						•••	1
10. Diseases of Bones and Joints	11	1			H	1			11		{	
11. ,, ,, Integumentary System	11						1	1				
VII. Violence	11		1		H		1				i	
1. Accident					$\  \cdot \cdot \cdot$							
2. Homicide										• • •	• • •	
3. Suicide		•										
VIII. Ill Defined and not Specified Causes	11		í			1	1		11			
(a.) Convulsions	4	1 1										5
	1		-	-	1		-	-	11-			52

#### (G) TABLE OF REPORTED CASES OF INFECTIOUS DISEASE.

Month.	Disease.	RESULT.	REMARKS ON CONDITION OF PREMISES, &c.
March	Puerperal Fever	Death	Good
April	Croup	Death	Untrapped Drains
May	Scarlatina	Recovery	Drains into Cesspool
June	Puerperal Fever	,,	Good
	Erysipelas	,,	Bad Smells in House
August	Scarlatina	,,	Good
	Scarlatina	Death	Bad Stone Drains & Cesspool
September	Erysipelas	Recovery	Good
November	Erysipelas	,,	Good
December	Continued Fever	,,	Drains into Cesspool

TABLE H.— RAINFALL in 1897, at Hall Ings, Southowram, in the County of York.

Rain Guage—Diameter of Funnel, 5in.; Height of Top above Ground, 7in.; above Sea Level, 750ft.

Month.	Total Depth.	Greatest 24 Ho		Number of Days on which '01 or more fell.
	Inches.	Depth.	Date.	
January	2.96	·78	7	18
February	3.49	•79	5	18
March	3:36	•50	14	23
April	2.24	•39	17	16
May	•93	•28	28	11
June	4.09	1.12	28	15
July	•65	·19	25	8
August	2.99	•44	6	20
September	3.08	•60	2	15
October	1.83	.80	14	13
November	3.63	1.10	30	16
December	3.80	•92	7	19
Total	33.05			192

The Rainfall for 1897 has been '78ins, above the average for the preceding seven years.

The maximum shade temperature was 82 on Aug 4th.

The minimum shade temperature was 21 on Feb. 24th and 26th.

(Signed) GEORGE E. ASPINALL.

#### SOUTHOWRAM SANITARY DISTRICT.

Inspectors' Report of year ending	Sanita Decemb	ry V er S	Vork, 81st. 18	&c., co.	mpleted	in	the
Number of complaints r							44
Number of inspections r							251
DECH	T MC OF	~.~~					
	LTS OF						
Orders issued for sanitar					and pren	nise	s 1
Houses disinfected after			diseas	e	• • •	• • •	
Houses, premises, &c., cl	eansed	• • •	• • •		• • •	• • •	2
	HOUSE	DR	AINS.				
Repaired, cleansed, &c.				• • •		• • •	6
Trapped or ventilated		• • •	• • •	• • •			15
PRIVIES	S AND V	X A T	ER. CLO	OSETS			
							0
Repaired, cleansed, &c.  New provided					• • •		2
new provided		• • •	• • •	•••	• • •	• • •	5
	ASH	PIT	S.				
New provided	• • •	• • •			• • •		2
Repaired, covered	• • •	• • •	• • •		• • •		nil
	WATER	SUF	PPLY.				
Houses supplied with w	ater		•••		•••		10
S	TREETS	$\mathbf{DR}_{A}$	AINED.				
Names and number conn				ina <i>c</i> o x	viz Mon	gh	
18 houses; Toft House				,	·		21
10 Houses, 1010 House	Ja, 1, 10	CULIX	120110,	1, 01100		, <u>.</u>	21
	MISCELI	LANI	EOUS.				
Number of lodginghous Sanitary Act 1866	_					of 	nil
Removal of accumulation	a of du	ng,	stagna	ant wat	er, anin	nal	
or other refuse			• • •		• • •	• • •	1
Removal of animals imp						• • •	nil
Number of licensed slaug				-	_		nil
Other proceedings, e. g.,			_		• • •	•••	nıl
Number of nuisances left					•••	• • •	4
,, ,,				g 1897	• • •	* * *	
,, ,, (	unabat (Signed			_	•••	•••	1
Nuisance I	,				ict Coun	cil	
Truisance 1	-		howra			.011,	
	,	~ ~ ~ ~ ~ ~					

